

**BIOCHIMICA S.p.A.**

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 1/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

## Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier**

Code: 1SFIBU120500  
Product name: Bioform Plus Detersivo in polvere atomizzata IGIENIZZANTE CON OSSIGENO ATTIVO  
Chemical name and synonym: 3SPXXB008301

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified Uses	Industrial	Professional	Consumer
detergent	-	✓	✓

**1.3. Details of the supplier of the safety data sheet**

Name: BIOCHIMICA S.p.A.  
Full address: Via Roma, 49  
District and Country: 40069 Zola Predosa (BO)  
Italia  
Tel. +39 051 755269  
Fax +39 051 752707

e-mail address of the competent person  
responsible for the Safety Data Sheet

info@biochimicaspa.it

**1.4. Emergency telephone number**

For urgent inquiries refer to

CAVp Osp. Pediatrico Bambino Gesù, Piazza Sant' Onofrio, 4 00165 Roma Tel.: 0668593726  
Az. Osp. Univ. Foggia, V.le Luigi Pinto, 1 71122 Foggia Tel.: 0881732326  
Az. Osp. A. Cardarelli, Via A. Cardarelli, 9 80131 Napoli Tel.: 0817472870  
CAV Policlinico Umberto I, V.le del Policlinico, 155 00161 Roma Tel.: 0649978000  
CAV Policlinico A. Gemelli, Largo Agostino Gemelli, 8 00168 Roma Tel.: 063054343  
Az. Osp. Careggi U.O. Tossicologia Medica, Largo Brambilla, 3 50134 Firenze Tel.: 0557947819  
CAV Centro Nazionale di Inf. Tossicologica, Via Salvatore Maugeri, 10 27100 Pavia Tel.: 038224444  
Osp. Niguarda Ca' Granda Piazza Ospedale Maggiore, 3 20162 Milano Tel.: 0266101029  
Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS, 1 24127 Bergamo Tel.: 800883300

### SECTION 2. Hazards identification

**2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Classified according to DetNet / 1307 report  
The product does not maintain combustion: see section 16 for the test report.

Hazard classification and indication:  
Eye irritation, category 2

H319

Causes serious eye irritation.

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

**H319** Causes serious eye irritation.

Precautionary statements:

**P101** If medical advice is needed, have product container or label at hand.  
**P102** Keep out of reach of children.  
**P264** Wash your hands thoroughly after use.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P337+P313** If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, non-ionic surfactants, soap, zeolites, polycarboxylates  
5% or over but less than 15% oxygen-based bleaching agents

optical brighteners

perfumes

**2.3. Other hazards**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**SECTION 3. Composition/information on ingredients**

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO****3.2. Mixtures**

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
<b>SODIUM CARBONATE</b> CAS 497-19-8 EC 207-838-8 INDEX 011-005-00-2 Reg. no. 01-2119485498-19	20 ≤ x < 30	Eye Irrit. 2 H319
<b>DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)</b> CAS 15630-89-4 EC 239-707-6 INDEX - Reg. no. 01-2119457268-30	10 ≤ x < 15	Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318
<b>SILICIC ACID, SODIUM SALT</b> CAS 1344-09-8 EC 215-687-4 INDEX - Reg. no. 01-2119448725-31	2,5 ≤ x < 3,5	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335
<b>BENZENESULFONIC ACID, C10- 13-ALKYL DERIVS., SODIUM SALTS</b> CAS 68411-30-3 EC 270-115-0 INDEX - Reg. no. 01-2119489428-22	2 ≤ x < 3	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
<b>ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED</b> CAS 160901-19-9 EC 931-954-4 INDEX - Reg. no. 01-2119490233-42	1,3 ≤ x < 1,8	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**SECTION 4. First aid measures****4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.



BIOCHIMICA S.p.A.

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 4/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## SECTION 5. Firefighting measures

**5.1. Extinguishing media**

**SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture**

**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

**5.3. Advice for firefighters**

**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

**BIOCHIMICA S.p.A.**

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 5/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

**SECTION 7. Handling and storage****7.1. Precautions for safe handling**

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s)**

Information not available

**SECTION 8. Exposure controls/personal protection****8.1. Control parameters****SODIUM CARBONATE****Health - Derived no-effect level - DNEL / DMEL**

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			10 mg/m <sup>3</sup>				10 mg/m <sup>3</sup>	

**DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)****Predicted no-effect concentration - PNEC**

Normal value in fresh water				0,035		mg/l		
Normal value in marine water				0,035		mg/l		
Normal value for water, intermittent release				0,035		mg/l		
Normal value of STP microorganisms				16,24		mg/l		

**Health - Derived no-effect level - DNEL / DMEL**

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation							5 mg/m <sup>3</sup>	
Skin	6,4 mg/cm <sup>2</sup>		6,4 mg/cm <sup>2</sup>		12,8 mg/cm <sup>2</sup>		12,8 mg/cm <sup>2</sup>	

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**
**SILICIC ACID, SODIUM SALT**

Predicted no-effect concentration - PNEC

Normal value in fresh water	7,5	mg/l
Normal value in marine water	1	mg/l
Normal value of STP microorganisms	348	mg/l

**Health - Derived no-effect level - DNEL / DMEL**

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,8 mg/kg bw/d				
Inhalation								5,61 mg/m3
Skin				0,8 mg/kg bw/d				1,59 mg/kg bw/d

**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS**

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,268	mg/l
Normal value in marine water	0,027	mg/l
Normal value for fresh water sediment	8,1	mg/kg
Normal value for marine water sediment	6,8	mg/kg
Normal value for water, intermittent release	0,017	mg/l
Normal value of STP microorganisms	3,43	mg/l
Normal value for the terrestrial compartment	35	mg/kg

**Health - Derived no-effect level - DNEL / DMEL**

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d				
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

**8.2. Exposure controls**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

**BIOCHIMICA S.p.A.**

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 7/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO****HAND PROTECTION**

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).  
Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

**SKIN PROTECTION**

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION**

Wear airtight protective goggles (see standard EN 166).

**RESPIRATORY PROTECTION**

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

**ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

**SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Appearance	white powder
Colour	white
Odour	Not available
Odour threshold	Not available
pH	Not available
Melting point / freezing point	Not available
Initial boiling point	Not applicable
Boiling range	Not available
Flash point	Not applicable
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0,65-0,75
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Explosive properties

not classified as explosive, it does not contain explosive substances according to CLP Art (14 (2))

Oxidising properties

the product is not an oxidizing substance

**9.2. Other information**

Information not available

**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

The powders are potentially explosive when mixed with air.

**10.4. Conditions to avoid**

Avoid environmental dust build-up.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

Information not available

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure



**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:  
Not classified (no significant component)  
LD50 (Oral) of the mixture:  
>2000 mg/kg  
LD50 (Dermal) of the mixture:  
Not classified (no significant component)

**N, N'-ETHYLENEBIS [N-ACETYLACETAMIDE]**

LD50 (Oral) > 2000 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rat

LC50 (Inhalation) > 2,08 mg/l/air 4h rat

**SILICIC ACID, ALUMINUM SODIUM SALT**

LD50 (Oral) > 2000 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

LC50 (Inhalation) > 2,8 mg/l/1h rat

**SILICIC ACID, SODIUM SALT**

LD50 (Oral) 3400 mg/kg

LD50 (Dermal) > 5000 mg/kg

LC50 (Inhalation) 2,06 mg/l/4h

**DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)**

LD50 (Oral) 893 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO****ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED**

LD50 (Oral) &gt; 300 mg/kg rat

LD50 (Dermal) &gt; 2000 mg/kg rabbit

**SODIUM CARBONATE**

LD50 (Oral) 2800 mg/kg Rat

LD50 (Dermal) &gt; 2000 mg/kg rabbit

LC50 (Inhalation) 800 mg/l/2h guinea pig

**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS**

LD50 (Oral) 1080 mg/kg rat

LD50 (Dermal) &gt; 2000 mg/kg rat

**SODIUM CHLORIDE**

LD50 (Oral) 3000 mg/kg Rat

LD50 (Dermal) &gt; 10000 mg/kg rabbit

LC50 (Inhalation) &gt; 42 mg/l/1h rat

**SODIUM SULFATE ANHYDROUS**

LD50 (Oral) &gt; 2000 mg/kg rat

LC50 (Inhalation) &gt; 2,4 mg/l/4h rat

**SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye irritation

**RESPIRATORY OR SKIN SENSITISATION**

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**SECTION 12. Ecological information****12.1. Toxicity****N, N'-ETHYLENEBIS [N-  
ACETYLACETAMIDE]**

LC50 - for Fish	> 140 mg/l/96h
EC50 - for Crustacea	> 1000 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 1000 mg/l/72h
Chronic NOEC for Fish	> 140 mg/l
Chronic NOEC for Crustacea	500 mg/l 21 d

**SILICIC ACID, ALUMINUM SODIUM SALT**

LC50 - for Fish	1800 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h
EC50 - for Algae / Aquatic Plants	18 mg/l/72h
Chronic NOEC for Fish	> 780 mg/l 96h
Chronic NOEC for Crustacea	> 100 mg/l 48h

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Chronic NOEC for Algae / Aquatic Plants	18 mg/l 72h
<b>SILICIC ACID, SODIUM SALT</b>	
LC50 - for Fish	260 mg/l/96h
EC50 - for Crustacea	1700 mg/l/48h
EC50 - for Algae / Aquatic Plants	207 mg/l/72h
<b>DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)</b>	
LC50 - for Fish	70,7 mg/l/48h 48h
EC50 - for Crustacea	4,9 mg/l/48h
Chronic NOEC for Crustacea	2 mg/l
<b>ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED</b>	
EC50 - for Algae / Aquatic Plants	> 1 mg/l/72h <i>Desmodesmus subspicatus</i>
EC10 for Crustacea	> 0,1 mg/l <i>Daphnia magna</i>
<b>SODIUM CARBONATE</b>	
LC50 - for Fish	300 mg/l/96h
EC50 - for Crustacea	200 mg/l/48h
EC50 - for Algae / Aquatic Plants	10 mg/l
Chronic NOEC for Fish	560 mg/l 96h
Chronic NOEC for Algae / Aquatic Plants	1 mg/l
<b>BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS</b>	
LC50 - for Fish	1,67 mg/l/96h
EC50 - for Crustacea	2,9 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,91 mg/l/72h
Chronic NOEC for Fish	0,23 mg/l 72d
Chronic NOEC for Crustacea	0,5 mg/l 7d
Chronic NOEC for Algae / Aquatic Plants	0,5 mg/l 96h
<b>SODIUM CHLORIDE</b>	
LC50 - for Fish	5840 mg/l/96h
EC50 - for Crustacea	874 mg/l/48h
Chronic NOEC for Fish	252 mg/l 33d
Chronic NOEC for Crustacea	314 mg/l 21d
<b>SODIUM SULFATE ANHYDROUS</b>	
LC50 - for Fish	7960 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	1766 mg/l/48h <i>Daphnia magna</i>

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO****12.2. Persistence and degradability**

N, N'-ETHYLENEBIS [N-  
ACETYLACETAMIDE]  
Rapidly degradable

SILICIC ACID, ALUMINUM SODIUM SALT

Degradability: information not available

DISODIUM CARBONATE, COMPOUND  
WITH HYDROGEN PEROXIDE (2: 3)

Degradability: information not available

ALCOHOLS, C12-13, BRANCHED AND  
LINEAR, ETHOXYLATED

Rapidly degradable

SODIUM CARBONATE

Solubility in water

1000 - 10000 mg/l

Degradability: information not available

BENZENESULFONIC ACID, C10-13-ALKYL  
DERIVS., SODIUM SALTS

Rapidly degradable

SODIUM CHLORIDE

Solubility in water

> 10000 mg/l

Degradability: information not available

SODIUM SULFATE ANHYDROUS

Solubility in water

> 10000 mg/l

Degradability: information not available

**12.3. Bioaccumulative potential**

SILICIC ACID, ALUMINUM SODIUM SALT

BCF

1,44

BENZENESULFONIC ACID, C10-13-ALKYL  
DERIVS., SODIUM SALTS

BCF

159

SODIUM SULFATE ANHYDROUS



BIOCHIMICA S.p.A.

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 14/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Partition coefficient: n-octanol/water -4,38  
BCF 0,5

**12.4. Mobility in soil**

ALCOHOLS, C12-13, BRANCHED AND  
LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**12.6. Other adverse effects**

Information not available

## SECTION 13. Disposal considerations

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number**

Not applicable

**14.2. UN proper shipping name**

Not applicable

**14.3. Transport hazard class(es)**

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

Not applicable

**14.4. Packing group**

Not applicable

**14.5. Environmental hazards**

Not applicable

**14.6. Special precautions for user**

Not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Ox. Sol. 3</b>	Oxidising solid, category 3
<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Eye Irrit. 2</b>	Eye irritation, category 2
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>H272</b>	May intensify fire; oxidiser.
<b>H302</b>	Harmful if swallowed.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H335</b>	May cause respiratory irritation.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)



**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
  4. Regulation (EU) 2015/830 of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
  16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.



**BIOCHIMICA S.p.A.**

Revision nr. 3

Dated 20/03/2020

Printed on 17/08/2020

Page n. 18/18

Replaced revision:2 (Dated: 26/07/2019)

**Bioform Plus Detersivo in polvere atomizzata  
IGIENIZZANTE CON OSSIGENO ATTIVO**

The product does not maintain combustion as per Test Report No. R-19LA00205 (method reported in point 34.4.1 Test 0.1: Test for oxidizing solids of the Manual of Tests and Criteria - United Nations, Fifth revised edition, 2009.)